Teskey, H. J. 1969. Larvae and pupae of some eastern North American Tabanidae (Diptera). Mem. Entomol. Soc. Can. No. 63, 147 pp.

Teskey, H. J. and J. F. Burger. 1976. Further larvae and pupae of eastern North American Tabanidae (Diptera). Can. Entomol. 108: 1085–1096.

Tidwell, M. A. 1973. The Tabanidae (Diptera) of Louisiana. Tulane Stud. Zool. Bot. 18(1–2): 1–95.

PROC. ENTOMOL. SOC. WASH. 83(3), 1981, p. 389

## Note

## New Records for *Eriotremex* (Hymenoptera: Siricidae) from Southeast Asia and New Guinea

Specimens of *Eriotremex* are not commonly collected. The ten known species are native to Southeast Asia and New Guinea, but one species, *E. formosanus* (Matsumura), was accidentally introduced into the southeastern United States. The following records are from specimens in the Bernice P. Bishop Museum, Honolulu, Hawaii. I thank Gordon Nishida of that Museum for loaning the material.

Eriotremex formosanus (Matsumura).—Described from Taiwan and recorded from Vietnam, Laos, and southeastern United States. LAOS: Vientiane Prov., Phou Kou Khouei, 800 m, 12–13.IV.1965, J. L. Gressitt (3 ♀).

Eriotremex insignis (F. Smith).—Described from Aru Island, Indonesia and also recorded from West Irian, Indonesia and Papua New Guinea. PAPUA NEW GUINEA: NE, Bupu R., Sitium Vill., 19 km NE of Lae, 30+, Forest, 15.IV-15.V.1970, light trap, N. R. Spencer (1 ♀); Fly R., Kiunga, 35 m, VIII.1969, J. and M. Sedlacek (1 ♀).

*Eriotremex* sp., ♂.—The taxonomy of *Eriotremex* is based on females; very few males have been associated. This unidentified male may represent a described species. It is the first record of the genus from Thailand. THAILAND: NW, Chiangmai: Doi Pui, 1360 m, 2.V.1958, T. C. Maa (1 ♂).

David R. Smith, Systematic Entomology Laboratory, IIBIII, Agric. Res., Sci. and Educ. Admin., USDA, % U.S. National Museum of Natural History, Washington, D.C. 20560.